Technical data sheet



Aqua-Fluid V 8052

Special additive for Pigmocryl NG for use in industry and trade

	PRODUCT DESCRIPTION
Product numbers	8052000210
General	Retardant for the water-based coloured coating system Pigmocryl NG to improve flow and de-aerating if the ambient temperature is high or humidity is low.
Application area	Additive for Pigmocryl NG for furniture and interior design

PROCESSING

Processing instructions



- Please shake the product before use.
- Mix Aqua-Fluid V (8052) into the paint or varnish while stirring continuously.
- The viscosity and good firmness of the paint on vertical surfaces are maintained. The viscosity of mixtures with Aqua-Fluid V (8052) may, however, be different from the original viscosity.
- Aqua-Fluid V (8052 does not affect the storability of the varnish.
- Paints/varnishes that have been mixed can be used as explained in the relevant technical data sheet.
- Any change in the processing sequence, environmental conditions, nonobservance of instructions or the use of products not listed may have an unfavourable effect on the result.
- Please follow our ARL 150 Working guidelines for water-based furniture coatings.

Quantity to be added



5% by weight relative to the quantity of paint or varnish

We recommend waiting approx. 5 minutes before using the mixture.

Cleaning the working equipment



With water immediately after use.

ORDERING INFORMATION

Size of trading unit

11

FURTHER DETAILS

Durability / storage



Min. 1 year(s) in the original sealed containers.

Make sure the product is protected against moisture, direct sunlight, frost and high temperatures (above 30 °C).

Close opened containers well and use up the content as soon as possible.

Safety information



The product is only suitable for the industrial and professional use.

Further information on the subject of safety during transport, storage and handling as well as disposal can be found in the relevant safety data sheet. The current version can be accessed on the Internet at www.adler-lacke.com.